AMENDMENTS TO THE CLAIMS

The following is a complete, marked up listing of revised claims with a status identifier in parentheses, underlined text indicating insertions, and strikethrough and/or double brackets indicating deletions.

Listing of the Claims

1. (CURRENTLY AMENDED) A DNA chip, comprising:

a flat carrier; and

an array of spots containing catcher molecules, each spot being assigned a microelectrode arrangement for detecting binding events between the catcher molecules and target molecules applied via an analyte solution, the electrode arrangement being at least partially embedded in a hydrophilic reaction layer which is permeable to target molecules and in which immobilized catcher molecules are distributed three-dimensionally.

the hydrophilic reaction layer having a thickness approximately in the range of 1L to 5 L, L being the sum of electrode width and electrode spacing.

2.-3. (CANCELLED)

4. (CURRENTLY AMENDED) The DNA chip as claimed in elaim 2claim 1, wherein the electrode width and the electrode spacing lie in the region of 1 μm and wherein the reaction layer has a thickness of between 2 and 10 μm.

U.S. Application No. 10/540,208 Atty. Dkt. No. 32860-000902/US Page 3 of 11

- 5. (CURRENTLY AMENDED) The DNA chip as claimed in elaim 3claim 1, wherein the microelectrode arrangement is a two-pole system, and wherein the reaction layer has a thickness of approximately 3 µm.
- 6. (CURRENTLY AMENDED) The DNA chip as claimed in elaim 3claim 1, wherein the microelectrode arrangement is a four-pole system, and wherein the reaction layer has a thickness of approximately 7 µm.
- 7. (PREVIOUSLY PRESENTED) The DNA chip as claimed in claim 1, wherein the reaction layer is thermally stable up to approximately 95°C.
- 8. (PREVIOUSLY PRESENTED) The DNA chip as claimed in claim 1, wherein the reaction layer contains coupling groups for the covalent binding of catcher molecules.
- 9. (Previously Presented) The DNA chip as claimed in claim 1, wherein the reaction layer is a hydrogel.
- 10. (PREVIOUSLY PRESENTED) The DNA chip as claimed in claim 6, wherein an acrylamide-based radical-crosslinkable hydrogel includes at least one of maleic anhydride and glycidyl (meth)acrylate as coupling groups.

U.S. Application No. 10/540,208 Atty. Dkt. No. 32860-000902/US

Page 4 of 11

11. (PREVIOUSLY PRESENTED) The DNA chip as claimed in claim 1,

wherein the electrode arrangement is an interdigital electrode arrangement.

12. (PREVIOUSLY PRESENTED) The DNA chip as claimed in claim 11,

wherein the interdigital electrode arrangement is a two-pole microelectrode

system.

13. (PREVIOUSLY PRESENTED) The DNA chip as claimed in claim 11,

wherein the interdigital electrode arrangement is a four-pole microelectrode

system.

14. (PREVIOUSLY PRESENTED) The DNA chip as claimed in claim 1,

wherein the flat carrier includes a semiconductor layer and an insulating

layer connected thereto, the insulating layer carrying the electrode

arrangement and the reaction layer on its side remote from the

semiconductor layer.

15. (PREVIOUSLY PRESENTED) The DNA chip as claimed in claim 14,

wherein the semiconductor layer is a silicon layer.

16.-20. (CANCELLED)